

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((("20020069272") or ("20020124082"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 08:09
L2	1	1 and (gui or "graphical user interface" or "user interface")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:10
L3	1	2 and default	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:40
L4	19632	(707/1,10,100,102).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 08:11
L5	2613	(709/220).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 08:11
L6	22127	4 or 5	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:11
L7	16425	6 and @ad<"20031030"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:30
L8	297	property near sheet\$1 same configuration	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:17

EAST Search History

L9	101	property near sheet\$1 same configuration and (gui or "graphical user interface" or "user interface")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:19
L10	40	property near sheet\$1 same configuration and (gui or "graphical user interface" or "user interface")and (hierarchical)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:19
L11	21	property near sheet\$1 same configuration and (gui or "graphical user interface" or "user interface")and (hierarchical)and @ad<"20031030"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:20
L12	0	property near sheet\$1 same configuration and (gui or "graphical user interface" or "user interface")and (hierarchical)and @ad<"20031030" and (change adj3 property near sheet\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:20
L13	10	property near sheet\$1 same configuration and (gui or "graphical user interface" or "user interface")and (hierarchical)and @ad<"20031030" and (default near value)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:21
L14	5	property near sheet\$1 same configuration and (gui or "graphical user interface" or "user interface")and (hierarchical)and @ad<"20031030" and (default near value)and nodes	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:30
L15	0	parametr adj4 overir\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:30
L16	0	parametr adj4 overid\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:30

EAST Search History

L17	9	parameter adj4 overid\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:30
L18	9	17 and @ad<"20031030"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 08:31
L19	2	("7096465").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 08:31



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Mon, 26 Mar 2007, 11:03:38 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display[Run Search](#)[Reset](#)

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- [#1](#) ((~property sheet~~ and configuration)<in>metadata)
- [#2](#) (property and sheet and configuration<IN>metadata)
- [#3](#) (((property and sheet and configuration<in>metadata))<AND>(property and sheet and configuration<in>metadata) and (gui or graphical and user and interface))
- [#4](#) (((property and sheet and configuration<in>metadata))<AND>(((property and sheet and configuration<in>metadata))<and>(property and sheet and configuration<in>metadata) and (gui or graphical and user and interface)))
- [#5](#) (override and default and values<IN>metadata)
- [#6](#) (override and default and values<in>metadata) and property and sheet

[Clear Session History](#)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –